

Ramik® Bars

ALL-WEATHER RAT and MOUSE KILLER

GUARANTEE:

Diphacinone

(2-Diphenylacetyl-1,3-Indandione).....0.005%

Registration No.: 22851

EPA Est. No. 61282-WI-1

PEST CONTROL PRODUCTS ACT

READ LABEL BEFORE USING

DOMESTIC

KEEP OUT OF REACH OF CHILDREN

DIRECTIONS: Place RAMIK BARS in locations where rats and mice will most likely find and consume the bait. Place bait in concealed corners, along walls, where rats and mice feed.

USE LIMITATIONS: Bait MUST either be placed in tamper-resistant bait stations or in locations not accessible to children, pets or livestock. DO NOT place bait in areas where there is a possibility of contaminating food or surfaces that come in contact with food.

RATS: Place 8 to 16 RAMIK BARS at intervals of 4.5 to 9 metres per placement. Maintain an uninterrupted supply of fresh bait for at least 15 days or until signs of rat activity cease.

MICE: Place 28 to 29 g RAMIK BARS at intervals of 1.5 to 3.0 metres per placement. Larger placements may be needed at points of high mouse activity. Maintain an uninterrupted supply of fresh bait for at least 15 days or until signs of mouse activity cease.

PRECAUTIONS: KEEP OUT OF REACH OF CHILDREN, PETS AND LIVESTOCK. May be harmful or fatal if swallowed or absorbed through the skin. Rubber gloves must be worn when handling product and when disposing of dead rodents, unconsumed bait and empty containers. Avoid contact with eyes, skin or clothing. Wash hands before eating, drinking, chewing gum, using tobacco or using the toilet. Wash skin thoroughly with soap and water after handling. Wash contaminated clothing, separately from other laundry, with soap and hot water before reuse. KEEP AWAY FROM FEED AND FOODSTUFFS.

FIRST AID: IF SWALLOWED, give patient 1-2 glasses of water and induce vomiting by inserting a finger at the back of the throat, repeat until fluid is clear. For all cases of human ingestion, immediately notify a physician or poison control centre. If pet or livestock poisoning is suspected, immediately contact a veterinarian. Take container, label or product name and Pest Control Product Registration Number with you when seeking medical attention.

TOXICOLOGICAL INFORMATION: IF SWALLOWED by humans, pets, wildlife or domestic animals, this material may reduce the clotting ability of the blood and cause bleeding. Vitamin K₁ in the form of intramuscular or subcutaneous injections, or by oral ingestion are suggested remedial treatments for anticoagulant poisoning. The severity of the case measured by establishing prolonged prothrombin times (P.T.) will determine appropriate therapy. Monitoring P.T. will indicate the necessity of repeated treatments.

STORAGE: Store in a cool, dry place away from other chemicals and food or feed. Store product not in use, in original container, in a secure location inaccessible to children and non-target animals.

DISPOSAL: Dispose of empty container in household garbage. Dispose of unused bait in accordance with local requirements.

RODENT DISPOSAL: Dispose of dead rodents in garbage or by burying.

Medical **1-800-498-5743**

☐ **1-800-621-8829**

Manufactured By:
Hacco, Inc.
110 Hopkins Drive
Randolph, WI 53956

Code (NG.NT) NA.NI

Item No.: 1257220
Net Contents: 340 g
UPC: 0 23626 01600 (2)
Format: UPC-A